



SPRAYLAT INTERNATIONAL

Anti Rust Temporary Surface Protection



PRODUCT CAPABILITIES & PERFORMANCE

- Liquid applied by airless spray gun for consistent coverage
- Easy to remove by peeling, leaving the surface residue-free
- Ideal for curved and shaped surfaces
- Protection from; flash rusting, weld spatter, grinding sparks, salt water, scratching, UV, weathering and more
- Proven durability in aggressive environments – independently tested for 1,440 hours salt spray resistance
- Up to 24 months of protection with no loss of adhesion, ensuring consistent performance over extended deployment or storage periods
- Eliminates the need for surface preparation prior to painting. Preserving substrate integrity and reducing process steps
- Eliminates the need for any solvents - making a safer working environment
- Eliminates the need for shot blasting
- Fully recyclable within the UK, supporting defence sustainability and waste-reduction objectives
- ISO 9001 accredited




Corrosion can significantly reduce the lifespan and performance of metal components exposed to storage, transportation and challenging operating conditions.

Protectapeel Anti-Rust is a temporary peelable coating developed to shield metal surfaces from rust, moisture and environmental exposure until they are ready for use.

Suitable for engineering, manufacturing and marine applications, it forms a dependable protective layer that withstands demanding conditions before peeling away cleanly by hand, leaving the surface residue-free.

By preventing corrosion before it starts, Protectapeel Anti-Rust helps maintain product quality, minimise repair and replacement costs, and ensure components arrive in optimal condition.





Protectapeel Anti-Rust is a weather resistant temporary peelable protective coating designed to protect metal from damage caused by:

- Flash Rusting
- Abrasion
- Staining
- Spillage
- Weathering
- Scratching
- Grinding Sparks
- Salt Water
- Corrosion

Easily applied by spray or roller, Protectapeel Anti-Rust is perfect for curved, shaped and uneven surfaces. As it is a liquid, there is no need to cut to size - making protection quick and easy. Protectapeel Anti-Rust dries to form a tough protective bond with the surface and does not lose adhesion.





Protectapeel Anti-Rust was used to protect bare steel parts on sections of The HMS Queen Elizabeth Carrier as they were made. Built in sections around the UK, the sections were then transported via seashipment to Rosyth in Scotland - during transportation the parts would have been exposed to the elements and therefore vulnerable to damage. When the parts arrived at Rosyth the engineering team simply hand peeled the coating away revealing undamaged sections ready for



As micro breweries became more popular in the USA the number of tanks exporting beer from Germany to North America increased. Protectapeel was used to make a four week journey by sea to America. Prior to being protected with Protectapeel the tanks were placed below deck in an attempt to protect them from unavoidable damage such as grime and corrosion from the ship fumes and saltwater. The damage created expensive costs as the tanks had to be specifically cleaned with aggressive chemicals which often scratched and



Spraylat International supported the construction of the RRS Sir David Attenborough at Cammell Laird by supplying Protectapeel Anti Rust to protect steel surfaces throughout demanding build and pre-delivery stages. Used on one of the UK's most advanced polar research vessels, the product helped safeguard critical metal surfaces from environmental exposure and site-related damage while supporting efficient application and removal within a complex

Over 30 years of
UK manufacture.

**Trusted
Worldwide.**



Protectapeel Anti-Rust has been independently tested to achieve a C5 High corrosion protection rating after successfully withstanding 1,440 hours of salt spray testing. Tested in accordance with recognised industry standards, the coating demonstrated outstanding resistance to corrosion, blistering, rusting, cracking and flaking, making it suitable for use in some of the most demanding industrial and marine environments.

This high level of performance provides confidence that valuable metal components remain protected during storage, transportation and installation, helping to reduce maintenance, minimise replacement costs and preserve asset quality until





SPRAYLAT INTERNATIONAL

Tel: +44(0)1536 408 409
Email: enquiries@spraylat.co.uk

www.protectapeel.com